

## Dr Leanne Sakzewski - Publications

1. Campbell M, Ziviani J, Stocker C, Khan A, **Sakzewski L**. Neuromotor performance in infants before and after early open heart surgery and risk factors for delayed development at six months of age. *Cardiology in the Young* 2018 (Accepted 10/8/2018).
2. Burgess A, Ziviani J, Ware RS, Boyd RN, **Sakzewski L**. Self-care in children with cerebral palsy and its relationship to manual ability: A longitudinal study. *Developmental Medicine & Child Neurology* 2018 (Accepted 7 August 2018).
3. Branjerdporn N, Ziviani J, **Sakzewski L**. Goal-directed occupational therapy for children with unilateral cerebral palsy: categorising and quantifying session content. *British Journal of Occupational Therapy* 2017; 21 December 2017 (epub ahead of print). doi: 10.1177/0308022617743458.
4. Boyd RN, Ziviani J, **Sakzewski L**, Novak I, Badawi N, Pannek K, Elliott C, Greaves S, Guzzetta A, Whittingham K, Valentine J, Morgan C, Wallen M, Eliasson AC, Findlay L, Ware R, Fiori S, Rose S. REACH: Study protocol of a Randomised trial of Rehabilitation very Early in Congenital Hemiplegia. *BMJ Open* 2017, 7(9): e017204. doi: 10.1136/bmjopen-2017-017204.
5. Baque E, **Sakzewski L**, Boyd RN, Barber L. Validity of accelerometry to measure physical activity in children with brain injury. *Pediatric Physical Therapy* 2017, 29(4): 322-329. doi: 10.1097/PEP.0000000000000439
6. Reedman S, Boyd RN, Elliott C, **Sakzewski L**. ParticiPAte CP: A protocol of a randomized waitlist-controlled trial of a motivational and behaviour change intervention to increase physical activity through meaningful participation in children with cerebral palsy. *BMJ Open* 2017; e015918. doi:10.1136/bmjopen-2017-015918.
7. Boyd RN, et al. PREDICT CP: Implementation of comprehensive surveillance to Predict outcomes for school aged children with Cerebral Palsy. *BMJ Open* 2017, 7:e014950. doi:10.1136/bmjopen-2016-014950
8. Campbell M, Rabbidge B, Ziviani J, **Sakzewski L**. Clinical feasibility of preoperative neurodevelopmental assessment of infants undergoing open-heart surgery. *Journal of Paediatrics and Child Health* 2017, 53(8):794-799. doi:10.1111/jpc.13565.
9. Baque E, Barber L, **Sakzewski L**, Boyd RN. Characteristics associated with gross motor capacity and performance in children and adolescents with an acquired brain injury. *Brain Injury* 2017, 31(5):667-673. doi: 10.1080/02699052.2017.1291990.
10. Reedman S, Boyd RN, **Sakzewski L**. A systematic review of the efficacy of therapy, behaviour change, and public health interventions aimed at increasing community sports and active leisure participation in school-aged children with cerebral palsy. *Developmental Medicine & Child Neurology* 2017, 59(10):1011-1018. doi: 10.1111/dmcn.13413.
11. Comans T, Mihala G, **Sakzewski L**, Boyd RN, Scuffham P. The cost effectiveness of a web-based multimodal therapy for unilateral cerebral palsy. The Mitii RCT. *Developmental Medicine & Child Neurology* 2017, 59(7):756-761. doi: 10.1111/dmcn.13414.

12. **Sakzewski L**, Lewis MJ, McKinlay L, Ziviani J, Boyd RN. Sakzewski et al Reply. *Dev Med Child Neurol*. 2017, 59(3):336-337. doi: 10.1111/dmcn.13235.
13. **Sakzewski L**, Lewis M, Ziviani J. Test retest reproducibility of the Assessment of Motor and Process Skills for school-aged children with acquired brain injuries. *Scandinavian Journal of Occupational Therapy* 2017, 24(3):161-166. doi: 10.3109/11038128.2016.1152296.
14. Baque E, Barber L, **Sakzewski L**, Boyd RN. Reproducibility in measuring physical activity in children and adolescents with an acquired brain injury. *Brain Injury* 2016; 2016, 30(13-14):1692-1698. doi: 10.1080/02699052.2016.1201594.
15. **Sakzewski L**, Reedman S, Hoffmann T. Do we really know what they were testing? Incomplete reporting of interventions in randomized trials of upper limb therapies in cerebral palsy. *Research in Developmental Disabilities* 2016; 59: 417-427. doi: 10.1016/j.ridd.2016.09.018
16. Baque E, Barber L, **Sakzewski L**, Boyd RN. Test-retest reproducibility of activity capacity measures for children with an acquired brain injury. *Brain Injury* 2016; 30(9):1143-9. doi: 10.3109/02699052.2016.1165869.
17. Baque E, Barber L, **Sakzewski L**, Boyd RN. Randomized controlled trial of web-based multimodal therapy for children with Acquired Brain Injury to improve activity capacity and performance. *Clinical Rehabilitation* 2017, 31(6):722-732. doi: 10.1177/0269215516651980.
18. **Sakzewski L**, Lewis MJ, McKinlay, L, Ziviani J, Boyd RN. Impact of multi-modal web-based rehabilitation on occupational performance and upper limb outcomes: pilot randomized trial in children with acquired brain injuries. *Developmental Medicine and Child Neurology* 2016, 58(12):1257-1264. doi: 10.1111/dmcn.13157.
19. Baque E, **Sakzewski L**, Barber L, Boyd RN. Systematic review of the therapeutic management of lower limb dysfunction in children and adolescents with an acquired brain injury. *Brain Injury* 2016, 30(8):948-59. doi: 10.3109/02699052.2016.1147079.
20. Thomas RE, Johnston LM, Boyd RN, **Sakzewski L**, Kentish MJ. Evaluation of Group versus Individual physiotherapy for ambulant children with cerebral palsy following lower limb intramuscular Botulinum Toxin-A injections: a single-blind randomized comparison trial. *Research in Developmental Disabilities* 2016; 53-54; 267-278. doi: 10.1016/j.ridd.2016.02.014.
21. **Sakzewski L**, Ziviani J, Boyd RN. Translating evidence to increase quality and dose of upper limb therapy for children with unilateral cerebral palsy: A pilot study. *Physical and Occupational Therapy in Pediatrics* 2016; 36(3): 305-29. doi: 10.3109/01942638.2015.1127866.
22. Beagley S, Reedman S, **Sakzewski L**, Boyd RN. Establishing Australian norms for the Jebsen Taylor Test of Hand Function in typically developing children aged five to 10 years. *Physical and Occupational Therapy in Pediatrics* 2016; 36(1): 88-109. doi: 10.3109/01942638.2015.1040571.
23. Reedman S, Beagley S, **Sakzewski L**, Boyd RN. The Jebsen Taylor Test of Hand Function for Children aged 5 to 10 years – test retest reliability. *Physical and Occupational Therapy in Pediatrics* 2016; 36(3): 88-109. doi: 10.3109/01942638.2015.1040576.
24. Edwards P, Sakzewski L, Copeland L, Thorley M, Gascoigne-Pees L, Kentish M, **Sakzewski L**, Ware R, Boyd RN. Safety of Botulinum Toxin Type A for children with non-ambulatory cerebral palsy. *Pediatrics* 2015; 136(5): 895-904. doi: 10.1542/peds.2015-0749.

25. Boyd RN, Baque E, Piovesana A, Ross S, Ziviani J, **Sakzewski L**, Barber L, McKinlay L, Smith A, Rose S, Fiori S, Cunnington R, Ware R, Lewis M, Comans TA, Scuffham PA. Move it to improve it (Mitii™), Acquired Brain Injury (ABI): A randomised controlled trial of a novel web-based multi-modal training program for children and adolescents with ABI. *BMC Neurology* 2015; 15: 140. doi: 10.1186/s12883-015-0381-6.
26. Phillips CJ, Marshall AP, Chaves NJ, Jankelowitz SK, Lin I, Loy CT, Rees G, **Sakzewski L**, Thomas S, To TP, Wilkinson SA, Michie S. Utility of the theoretical domains framework across diverse clinical environments: a qualitative study. *Journal of Multidisciplinary Healthcare* 2015; 8:139-46. doi: 10.2147/JMDH.S78458.
27. **Sakzewski L**, Miller L, Ziviani J, Abbott DF, Rose S, Macdonell RAL, Boyd RN. Randomized comparison trial of density and context of upper limb intensive group versus individualized occupational therapy for children with unilateral cerebral palsy. *Developmental Medicine and Child Neurology* 2015; 57(6): 539-47. doi: 10.1111/dmcn.12702.
28. **Sakzewski L**, Provan K, Ziviani J, Boyd RN. Comparison of dosage of intensive upper limb therapy for children with unilateral cerebral palsy: How big should the therapy pill be? *Research in Developmental Disabilities* 2015; 37:9-16. doi: 10.1016/j.ridd.2014.10.050.
29. **Sakzewski L**, Eliasson AC, Gordon AM. The state of the evidence for intensive upper limb therapy approaches for children with unilateral cerebral palsy. *Journal of Child Neurology* 2014 29(8):1077-1090. doi: 10.1177/0883073814533150.
30. Copeland L, Edwards P, Thorley M, Donaghey S, Gascoigne-Pees L, Kentish M, Lindsley J, McLennan K, **Sakzewski L**, Boyd RN. Botulinum toxin A for non-ambulant children with cerebral palsy: A Double Blind Randomized Controlled Trial. *Journal of Pediatrics* 2014; 165(1):140-146. doi: 10.1016/j.jpeds.2014.01.050.
31. Thomas RE, Thomas RE, Johnston LM, Boyd RN, **Sakzewski L**, Kentish MJ. GRIN: Protocol of Group versus Individual physiotherapy for children with cerebral palsy following lower limb intra-muscular Botulinum Toxin-A injections: an assessor-masked randomized comparison trial. *BMC Pediatrics* 2014; 14: 35. doi: 10.1186/1471-2431-14-35. doi: 10.1186/1471-2431-14-35.
32. **Sakzewski L**, Ziviani J, Boyd RN. Efficacy of upper limb therapies for unilateral cerebral palsy: A meta-analysis. *Pediatrics* 2014; 133(1): e175-204. doi: 10.1542/peds.2013-0675.
33. **Sakzewski L**, Ziviani J, Boyd RN. Delivering evidence-based upper limb rehabilitation for children with cerebral palsy: Barriers and enablers identified by three paediatric teams. *Physical and Occupational Therapy in Pediatrics* 2014; 34(4):368-83. doi: 10.3109/01942638.2013.861890.
34. Boyd RN, Ziviani J, **Sakzewski L**, Miller L, Bowden J, Cunnington R, Ware R, Guzzetta A, Macdonell RAL, Jackson GD, Abbott DF, Rose S. COMBiT: Protocol of a randomised comparison trial of COMcombined modified constraint induced movement therapy and Bimanual Intensive Trainig with distributed model of standard upper limb rehabilitation in children with congenital hemiplegia. 2013 *BMC Neurology* 2013 Jun 28;13:68. doi: 10.1186/1471-2377-13-68.

35. Boyd RN, Mitchell, LE, James ST, Ziviani J, **Sakzewski L**, Smith A, Rose S, Cunnington R, Whittingham K, Ware RS, Comans TA, Scuffham PA. [Move it to improve it \(Mitii\): study protocol of a randomised controlled trial of a novel web-based multimodal training program for children and adolescents with cerebral palsy](#). *BMJ Open*, 2013 Apr 10; 3(4): doi: 10.1186/1471-2377-13-68.
36. Thorley M, Donaghey S, Edwards P, Copeland L, Kentish M, McLennan K, Lindsley J, Gascoigne-Pees L, **Sakzewski L**, Boyd R. Evaluation of the effects of Botulinum toxin A injections when used to improve ease of care and comfort in children with marked cerebral palsy: A double blind randomized controlled trial. *BMC Pediatrics* 2012; 12(1):120. doi: 10.1186/1471-2431-12-120.
37. **Sakzewski L**, Carlon S, Shields N, Ziviani J, Boyd RN. Impact of intensive upper limb rehabilitation on quality of life in a randomised trial for children with unilateral cerebral palsy. *Developmental Medicine and Child Neurology* 2012; 54(5): 415-423. doi: 10.1111/j.1469-8749.2012.04272.x.
38. **Sakzewski L**, Boyd RN. Impact of constraint-induced movement therapy on the unimpaired hand of children with hemiplegia. *Developmental Medicine and Child Neurology* 2012; 54(4): 381-382.
39. **Sakzewski L**. Bimanual therapy and constraint-induced movement therapy are equally effective in improving hand function in children with congenital hemiplegia (commentary). *Journal of Physiotherapy* 2012; 58 (1): 59. doi: 10.1016/S1836-9553(12)70075-9.
40. Galvin J, **Sakzewski L**. Botulinum toxin A in conjunction with occupational therapy reduces spasticity and improves upper limb function and goal attainment in children with cerebral palsy. *Australian Occupational Therapy Journal* 2011; 58(2): 132-133. doi: 10.1111/j.1440-1630.2011.00925.x.
41. **Sakzewski L**, Ziviani J, Boyd RN. Best responders after intensive upper-limb training for children with unilateral cerebral palsy. *Archives of Physical Medicine and Rehabilitation* 2011; 92(4): 578-84. doi: 10.1016/j.apmr.2010.12.003.
42. **Sakzewski L**, Ziviani J, Abbott DF, Macdonell RAL, Jackson GD, Boyd RN. Equivalent retention of gains at 1 year after training with constraint-induced or bimanual therapy in children with unilateral cerebral palsy. *Neurorehabilitation and Neural Repair* 2011; 25 (7): 664-71. doi: 10.1177/1545968311400093.
43. **Sakzewski L**, Ziviani J, Abbott DF, Macdonell RAL, Jackson GD, Boyd RN. Randomised trial of constraint-induced movement therapy and bimanual training on activity outcomes for children with congenital hemiplegia. *Developmental Medicine and Child Neurology* 2011; 53(4): 313-320. doi: 10.1111/j.1469-8749.2010.03859.x.
44. **Sakzewski L**, Ziviani J, Abbott DF, Macdonell RAL, Jackson GD, Boyd RN. Participation outcomes in a randomized trial of 2 models of upper-limb rehabilitation for children with congenital hemiplegia. *Archives of Physical Medicine and Rehabilitation* 2011; 92(4): 531-9. doi: 10.1016/j.apmr.2010.11.022.
45. Carlon S, Shields N, Yong K, Gilmore R, **Sakzewski L**, Boyd RN. A systematic review of the psychometric properties of quality of life measures for school aged children with cerebral palsy. *BMC Pediatrics* 2010; 10:81, published online: doi: 10.1186/1471-2431-10-81.

46. Gilmore R, Ziviani J, **Sakzewski L**, Shields N, Boyd R. A balancing act: Experience of modified constraint induced therapy for children with hemiplegia. *Developmental Neurorehabilitation* 2010; 13(2), 88-94. doi: 10.3109/17518420903386161.
47. Boyd RN, **Sakzewski L**, Ziviani J, Abbott DF, Badawy R, Gilmore R, Provan K, Tournier JD, Macdonell RAL, Jackson GD. INCITE: A randomised trial comparing constraint induced movement therapy and bimanual training in children with congenital hemiplegia. *BMC Neurology* 2010; 10:4, published online: doi:10.1186/1471-2377-10-4.
48. **Sakzewski L**. Repeat upper limb botulinum toxin A injections: A reflection of clinical practice. *Developmental Medicine and Child Neurology* 2010; 52(1): 8-9.
49. Gilmore R, Boyd R, **Sakzewski L**. Upper limb activity measures for 5 - 16 year old children with congenital hemiplegia: a systematic review. *Developmental Medicine and Child Neurology* 2010; 52(1): 14-21. doi: 10.1111/j.1469-8749.2009.03369.x.
50. **Sakzewski L**, Ziviani J, Boyd R. The relationship between unimanual capacity and bimanual performance in children with congenital hemiplegia. *Developmental Medicine and Child Neurology* 2010; 52(9): 811-816. doi: 10.1111/j.1469-8749.2009.03588.x.
51. **Sakzewski L**, Ziviani J, Boyd R. Systematic review and meta-analysis of therapeutic management of upper limb dysfunction in children with congenital hemiplegia. *Pediatrics* 2009; 123(6): e1111-e1122. doi: 10.1542/peds.2008-3335.
52. **Sakzewski L**, Ziviani J, Boyd R. Clinimetric properties of participation measures for 5- to 13-year-old children with cerebral palsy: a systematic review. *Developmental Medicine and Child Neurology* 2007; 49(3): 232-240.
53. **Sakzewski L**, Ziviani J, Munro N. Test/retest and inter-rater agreement for the Quality of Upper Extremity Skills Test (QUEST) for older children with acquired brain injuries. *Physical and Occupational Therapy in Pediatrics* 2001; 21(2/3):59-67.
54. **Sakzewski L**, Ziviani J, Swanson C. The impact of early discharge planning and case management on length of hospital stay for children with acquired brain injury. *Australian Occupational Therapy Journal* 1996; 43(3/4): 105-112.
55. **Sakzewski L**, Ziviani J. Factors affecting length of hospital stay of children with acquired brain injuries. *Australian Occupational Therapy Journal* 1996; 43(3/4): 113-124.